IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

BROWSE   SEARCH   IEEE XPLORE GUIDE

☐☐ Search Results

Results for "(((dsl <or> *dsl) <and> log)<in>metadata)"
Your search matched **9** of **1540244** documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☑ e-mail

» Search Options

View Session History

New Search

Modify Search

(((dsl <or> *dsl) <and> log)<in>metadata)   [Search >]

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◉ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[view selected items]   Select All Deselect All

1. **Improved signal processing and data acquisition electronics for the DSL-120**
    Rognstad, M.R.; Naiman, M.;
    Oceans '02 MTS/IEEE
    Volume 4, 29-31 Oct. 2002 Page(s):2264 - 2267 vol.4
    Digital Object Identifier 10.1109/OCEANS.2002.1191982

    AbstractPlus | Full Text: PDF(420 KB)   IEEE CNF
    Rights and Permissions

2. **Generating functions and lower bounds on rates for limited error-correcting codes**
    Kolesnik, V.D.; Krachkovsky, V.Y.;
    Information Theory, IEEE Transactions on
    Volume 37, Issue 3, Part 2, May 1991 Page(s):778 - 788
    Digital Object Identifier 10.1109/18.79947

    AbstractPlus | Full Text: PDF(840 KB)   IEEE JNL
    Rights and Permissions

3. **Joint signaling techniques for crosstalk-dominated communication channels**
    Gaikwad, R.V.; Baraniuk, R.G.;
    Global Telecommunications Conference, 1999. GLOBECOM '99
    Volume 2, 1999 Page(s):1145 - 1149 vol.2
    Digital Object Identifier 10.1109/GLOCOM.1999.829952

    AbstractPlus | Full Text: PDF(448 KB)   IEEE CNF
    Rights and Permissions

4. **Low-complexity lattice-based low-PAR transmission for DSL channels**
    Collings, I.B.; Clarkson, IV.L.;
    Global Telecommunications Conference, 2003. GLOBECOM '03, IEEE
    Volume 4, 2003 Page(s):2120 - 2124 vol.4
    Digital Object Identifier 10.1109/GLOCOM.2003.1258610

    AbstractPlus | Full Text: PDF(256 KB)   IEEE CNF
    Rights and Permissions

5. **A novel DHT-based FFT/IFFT processor for ADSL transceivers**
    Chin-Liang Wang; Ching-Hsien Chang;
    Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium or
    Volume 1, 30 May-2 June 1999 Page(s):51 - 54 vol.1
    Digital Object Identifier 10.1109/ISCAS.1999.777803

AbstractPlus | Full Text: PDF(444 KB)   IEEE CNF
Rights and Permissions

6. **Efficient VLSI architectures for fast computation of the discrete Fourier transform and its inv**
Ching-Hsien Chang; Chin-Liang Wang; Yu-Tai Chang;
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEE
Volume 48, Issue 11, Nov. 2000 Page(s):3206 - 3216
Digital Object Identifier 10.1109/78.875476

AbstractPlus | References | Full Text: PDF(960 KB)   IEEE JNL
Rights and Permissions

7. **A DHT-based FFT/IFFT processor for VDSL transceivers**
Chin-Liang Wang; Ching-Hsien Chang;
Acoustics, Speech, and Signal Processing, 2001. Proceedings. (ICASSP '01). 2001 IEEE Internatic
Volume 2, 7-11 May 2001 Page(s):1213 - 1216 vol.2
Digital Object Identifier 10.1109/ICASSP.2001.941142

AbstractPlus | Full Text: PDF(368 KB)   IEEE CNF
Rights and Permissions

8. **A new memory-based FFT processor for VDSL transceivers**
Chin-Liang Wang; Ching-Hsien Chang;
Circuits and Systems, 2001. ISCAS 2001. The 2001 IEEE International Symposium on
Volume 4, 6-9 May 2001 Page(s):670 - 673 vol. 4
Digital Object Identifier 10.1109/ISCAS.2001.922326

AbstractPlus | Full Text: PDF(364 KB)   IEEE CNF
Rights and Permissions

9. **A novel memory-based FFT processor for DMT/OFDM applications**
Ching-Hsien Chang; Chin-Liang Wang; Yu-Tai Chang;
Acoustics, Speech, and Signal Processing, 1999. ICASSP '99. Proceedings., 1999 IEEE Internatioi
Volume 4, 15-19 March 1999 Page(s):1921 - 1924 vol.4
Digital Object Identifier 10.1109/ICASSP.1999.758300

AbstractPlus | Full Text: PDF(300 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privac

© Copyright 2006 IE

Google

Web   Images   Video   News   Maps   **more »**

mse measurements dsl   [Search]   Advanced Search
                                        Preferences

Web   Results **1 - 10** of about **32,800** for **mse measurements dsl**. (**0.25** seconds)

DSL system estimation and parameter recommendation - Patent ...
A method of computing the **MSE** noise of a line in a **DSL** system, ...
(28) the peak-to-average ratio of noise or **MSE measurements** and/or
variations over a ...
www.freepatentsonline.com/20050123027.html - 99k -
Cached - Similar pages

> **DSL system estimation including known DSL line scanning and bad ...**
> Estimates of a communication system configuration, such as a
> **DSL** system, ... (28) the peak-to-average ratio of noise or **MSE**
> **measurements** and/or variations ...
> www.freepatentsonline.com/20060098725.html - 145k -
> Cached - Similar pages
> [More results from www.freepatentsonline.com]

Light Reading - Alcatel-Lucent - MSE Mayhem - Telecom
The multiservice edge system (**MSE**) was not so long ago hailed as
the single most important facilitator ... Test & **Measurement**
(Sponsored by Anritsu Company) ...
www.lightreading.com/document.asp?doc_id=79565 - 203k -
Cached - Similar pages

> **Light Reading - Ethernet - Alcatel Adds to MSE - Telecom News Wire**
> PBT: New Kid on the Metro Block 3/20/2007. **DSL** Aggregation 101 1/4/2007 ... Test &
> **Measurement** (Sponsored by Anritsu Company). OSS Test & **measurement** (969), ...
> www.lightreading.com/document.asp?doc_id=80492 - 192k - Cached - Similar pages
> [More results from www.lightreading.com]

[PDF] **Performance Measurement and Analysis of H.323 Traffic**
File Format: PDF/Adobe Acrobat - View as HTML
Error (**MSE**) distortion, Frequency weighted **MSE**, Segmented SNR, Perceptual. Analysis
Measurement System (PAMS) [10], Perceptual Evaluation of Speech ...
www.osc.edu/research/networking/PDFs/h323.pdf - Similar pages

[PDF] **LNCS 3015 - Performance Measurement and Analysis of H.323 Traffic**
File Format: PDF/Adobe Acrobat
Square Error (**MSE**) distortion, Frequency weighted **MSE**, Segmented SNR, Per-. ceptual
Analysis **Measurement** System (PAMS) [10], Perceptual Evaluation of ...
www.springerlink.com/index/CM04MGVV9MLY3AJW.pdf - Similar pages

[PDF] **On the Estimation of Improper Noise in Multicarrier DSL Systems**
File Format: PDF/Adobe Acrobat
pairs of the **measurements** are also used to derive the signal ... **MSE**, which is illustrated in
Fig. 2. It shows the relative. power of the singular values, λ ...
ieeexplore.ieee.org/iel5/9996/32110/01494526.pdf - Similar pages

> [PDF] **Research of capability of existing network for broadband ...**
> File Format: PDF/Adobe Acrobat

b. x-**DSL** modems (**ADSL**, G.Lite, SDSL). c. **Measurement** tester consist of : digital ... [3]
MSE of Canada Ltd., Engineering Department, ...
ieeexplore.ieee.org/iel5/9103/28881/01300505.pdf - Similar pages
[More results from ieeexplore.ieee.org]

[PDF] NOISE IDENTIFICATION IN **ADSL** MODEMS Zigang Yang, Udayan Dasgupta ...
File Format: PDF/Adobe Acrobat - View as HTML
measurement. Note that in **ADSL** standard, it is possible ... **Measurement** of Robustness.
As we know, the **MSE** solution of equation [4] is given ...
infocom.uniroma1.it/~enzobac/YangDasgupta04.pdf - Similar pages

[PPT] Combat Inter-Symbol Interference with Equalization
File Format: Microsoft Powerpoint - View as HTML
Unlike **ADSL** where overhead bits are fixed and consume 32 kbps of actual payload data ...
Lower **MSE** and Only s with good auto-correlation properties ...
users.ece.utexas.edu/~bevans/projects/**adsl**/HighSpeedWireline.ppt - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

| mse measurements dsl | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google

Web   Images   Video   News   Maps   **more »**

| hlog snr psd mse | | Search | Advanced Search Preferences |

Web

Results **1 - 7** of **7** for **hlog snr psd mse**. (0.41 seconds)

DSL system estimation and parameter recommendation - Patent ...
The **SNR** may be computed or inferred using initial **PSD**, **Hlog** and/or QLN. ... The reliable
estimates of **Hlog** and QLN or **MSE** at the ATU-C allow a controller ...
www.freepatentsonline.com/20050123027.html - 99k - Cached - Similar pages

DSL system estimation including known DSL line scanning and bad ...
The **MSE** noise can be estimated at any time by the follow formula (using dB) **MSE**[n]=**PSD**
[n]+**Hlog**[n]-**SNR**[n] (where Gap in dB is (9.5+TSNRM--CODEGAIN) and ...
www.freepatentsonline.com/20060098725.html - 145k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Dsl system estimation and parameter recommendation patent invention
5 is a flow diagram of methods for acquiring and calculating the **Hlog** of a channel,
according to one or more embodiments ... **MSE**[n]=**PSD**[n]+H log[n]-**SNR**[n] ...
www.freshpatents.com/Dsl-system-estimation-and-parameter-recommendation-
dt20050609ptan20050123027.php?typ... - 95k - Supplemental Result -
Cached - Similar pages

Dsl system estimation including known dsl line scanning and bad ...
5 is a flow diagram of methods for acquiring and calculating the **Hlog** of a channel ...
individual users' power levels and/or their corresponding **PSD** levels, ...
www.freshpatents.com/Dsl-system-estimation-including-known-dsl-line-scanning-and-bad-
splice-detection-cap... - 146k - Supplemental Result - Cached - Similar pages
[More results from www.freshpatents.com]

Word Test
... mrp mrq mrr mrs mrt mru mrv mrw mrx mry mrz msa msb msc msd **mse** msf msg msh ...
hkow hkox hkoy hkoz hloa hlob hloc hlod hloe hlof **hlog** hloh hloi hloj ...
i30www.ira.uka.de/~kutzner/allwords/o.html - 161k - Cached - Similar pages

usr bin perl w this tokenizes by nonword
SB 5 **hlog**. SB 5 hlon. SB 5 hlor. SB 5 hlos. SB 5 hluh. SB 5 hlyk. SB 5 hmae. ... SB 4 **mse**.
SB 4 msf. SB 4 msg. SB 4 msh. SB 4 msi. SB 4 msj. SB 4 msk. ...
search.cpan.org/src/IWOODHEAD/Freq-0.22/bin/tokenize-sb - 437k -
Cached - Similar pages

03/03/25 09:26:04(692) 09:28:04(945) A:1 B:1 C:0 D:0 03600 03600 ...
M S E = < 1 0 K B 3) 0 6 D M ; 5 - ; Y F 4 7 3 3 B R J : 1 6 B D 8 7 2 I 4 : E + / > E 8 ... 5 E
9 2 % $ 5 L A 0 3 + 5 I G <) . ; < G D 9 4 ; **H L O G** 3 ? ...
salmon.nict.go.jp/ftp/FPI/PFRR/20030325/20030325092604.dat - 961k -
Cached - Similar pages

*In order to show you the most relevant results, we have omitted some entries very similar to
the 7 already displayed.*
If you like, you can repeat the search with the omitted results included.

Try Google Desktop: search your computer as easily as you search the web.

| hlog snr psd mse | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google

Web   Images   Video   News   Maps   **more »**

| ITU-T Recommendation P.800 | | Search | Advanced Search
Preferences

Web   Results **1 - 10** of about **10,300** for <u>ITU-T Recommendation P.800</u>. (0.07 seconds)

<u>OPTICOM perceptual voice audio quality test products OEM technology</u>
ITU-T Recommendation P.800, Methods for subjective determination of transmission
quality, 1996 [read more]. **ITU-T Recommendation** P.800.1, Mean Opinion Score ...
www.opticom.de/technology/standards.html - 32k - <u>Cached</u> - <u>Similar pages</u>

    <u>audio quality test products OEM technology</u>
    The methods according to **ITU-T P.800** were adopted for some assessments to overcome
    the problem of a "gap" for a useful **recommendation** on testing ...
    www.opticom.de/technology/assessing-quality.html - 26k - <u>Cached</u> - <u>Similar pages</u>

<u>ITU-T Study Group 12 - List of Questions Under Study (Study Period ...</u>
ITU-T Study Group 12 - List of Questions Under Study (Study Period 2005 - 2008) ... of the
Listening Speech Quality according to **Recommendation P.800**. ...
www.itu.int/**ITU-T**/studygroups/com12/sg12-q9.html - 12k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>www.protocols.com www.radcom-inc.com</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
ITU-T Recommendation P.800 - Subjective quality test based on Mean Opinion Scores
(MOS). Preselected voice samples. recorded according to **recommendation** ...
www.protocols.com/papers/pdf/posvoip.pdf - <u>Similar pages</u>

<u>Acleris' -- Telecommunications Glossary -- P.800 to PWT</u>
P.800: Formerly known as P.80, an **ITU-T recommendation** regarding methods for the
subjective determination of transmission quality and forms the basis of a ...
www.acleris.com/info/glossary3-p.html - 14k - <u>Cached</u> - <u>Similar pages</u>

<u>Voice Quality Testing</u>- [<u>Translate this page</u>]
In February 2001, **ITU-T Recommendation** P.862 (PESQ: Perceptual Evaluation of Speech
Quality) was published as the new state-of-the-art **ITU-T Recommendation**. ...
itl.itri.org.tw/docwebpage/Voice_Quality.htm - 108k - <u>Cached</u> - <u>Similar pages</u>

<u>Advanced speech quality testing of modern telecommunication equipment</u>
7 [7] **ITU-T Recommendation P.800**, Methods for Subjective Determination of Speech
Quality, International Telecommunication Union, Geneva, 2003. ...
portal.acm.org/citation.cfm?id=1142840.1142857 - <u>Similar pages</u>

    <u>A simulation-based methodology and tool for automating the ...</u>
    12 [12] **ITU-T Recommendation** P.50, Appendix 1, Test signals, 1998. 13 [13] **ITU-T
    Recommendation P.800**, Methods for subjective determination of transmission ...
    portal.acm.org/citation.cfm?id=947937 - <u>Similar pages</u>
    [<u>More results from portal.acm.org</u>]

<u>P - ITU-T coded-speech database</u>
Deleted after the relevant information contained in this **Recommendation** was incorporated
in new **ITU-T** P.340. P.38, 03-1993, Transmission characteristics of ...
www.catr.cn/cttlcds/itu/**itut**/product/P.htm - 2k - <u>Cached</u> - <u>Similar pages</u>

<u>NTT-AT | Super Wideband StereoSpeech Database</u>
All speech samples are recorded using digital equipment, with all recording complying with
ITU-T Recommendation P.800. All recording is done using a pair of ...

www.ntt-at.com/products_e/widebandspeech/index.html - 17k - <u>Cached</u> - <u>Similar pages</u>

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Download <u>Google Pack</u>: free essential software for your PC

| ITU-T Recommendation P.800 | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

⊏□⊐Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((dsl <or> *dsl) <and> hlog)<in>metadata)"

☑ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

Modify Search

New Search

| (((dsl <or> *dsl) <and> hlog)<in>metadata) | **Search >** |

▣ Check to search only within this results set

» Key

Display Format: ◉ Citation   ⊙ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Help   Contact Us   Privac

Indexed by
ฒ Inspec®